


# ALPINE

2024 Products Lineup



# *Alpine Status*



## Digital Media Player



44,500.-

### HDS-990

- Hi-Res Audio Playback (192kHz / 24Bit)
- Inputs: 2-Ch AUX-In, 4-Ch Hi-Level
- USB Audio , Bluetooth (LDAC)
- Outputs: 4-Ch Hi-Level, 6-Ch RCA , Optical,Coaxial
- 4V Pre-Outs: 3
- Built-in Amplifier: 25W x 4
- USB Inputs: 3
- Audio Playback: AAC, AIFF, ALAC, APE, DSD, FLAC, LDAC, MP3, M4A, WMA, WAV

## Speakers



32,000.-

### HDZ-653

- Woofer size : 6.5 inch
- Midrange size : 3.5 inch
- Tweeter size : 1.25 inch
- Frequency Response : 55Hz-40KHz
- Rate Power: 100W RMS
- Peak Power: 300W



32,000.-

### HDZ-653S

- Woofer size: 6.5 inch
- Midrange size: 3.5 inch
- Tweeter size: 1 inch
- Frequency Response: 55Hz-40KHz
- Rate Power: 100W RMS
- Peak Power: 300W



25,000.-

### HDZ-65C

- Woofer size: 6.5 inch
- Tweeter size: 1.25 inch
- Frequency Response: 55Hz-40KHz
- Rate Power: 100W RMS
- Peak Power: 300W



25,000.-

### HDZ-65CS

- Woofer size: 6.5 inch
- Tweeter size: 1 inch
- Frequency Response: 55Hz-40KHz
- Rate Power: 100W RMS
- Peak Power: 300W



17,000.-

### HDZ-65

- Woofer size: 6.5 inch
- Frequency Response: 55Hz-40KHz
- Rate Power: 100W RMS
- Peak Power: 300W

## Amplifiers



20,000.-

### HDA-M80

- Mono Amplifier
- Frequency Response : 8Hz-400Hz
- Rate Power: 500W RMS x 1 @ 4Ω
- 800W RMS x 1 @ 2Ω
- S/N : >107 dB



20,000.-

### HDA-F60

- 4 Channel Amplifier
- Frequency Response : 10Hz-60KHz
- Rate Power: 100W RMS x 4 @ 4Ω
- Bridged : 300W RMS x 2 @ 4Ω
- S/N : >106 dB



25,000.-

### HDA-V90

- 5 Channel Amplifier
- Frequency Response: 10Hz-60KHz
- Rate Power: 75W RMS x 4 + 300W RMS x 1 @ 4Ω
- Bridged: 200W x 2 @ 4Ω
- S/N: > 104 dB

## Sound Processor & Subwoofer



75,000.-

### HDP-D90

- Inputs: 12 Ch Hi-Level/ 2 Ch RCA/ Optical/ Coaxial / Bluetooth
- Outputs: 12 Ch Hi-Level/10 Ch RCA
- 50W RMS x 8 + 80W Rms x 4
- Sampling Rate: 192KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



20,000.-

### HDZ-110

- Woofer size: 11 inch
- Rate Power: 400W RMS
- Peak Power: 1200W
- Mounting Deps: 7.75 inch

# Total sound control at your fingertips

The Next-Generation Alpine Halo display takes your dash to new heights with even more features to bring out the full potential of your music.



**GUI**

USER Friendly



## Alpine Halo Digital Multimedia Receiver Floating HD Display and Hi-Res Audio Playback

All shared features listed above. Unique Alpine Halo Design-Tapered Display Housing and Sliver Trim for a clean, Modern Fit & Finish. Adjustable Floating Style Display (Adjustable Height, Depth and Viewing Angle). Standard 1-Din Chassis for Flexible Vehicle Application.

### High-Definition Laminated Display



Colours are intensely vibrant and realistic, video motion is ultra-smooth and the image detail is razor sharp



Hi-Res Audio Certified with USB and Wireless Connectivity



Adjustable Display Angle



Advanced Sound Tuning



HDMI Connectivity

**HDMI**



Apple CarPlay Wireless or USB



Android Auto USB



androidauto



LDAC



HDMI

USB



WAV

MP3

AAC

WMA

MP4

MKV



11"  
Hi-Res  
AUDIO

## iLX-F511E

35,500.-

- 11 Inch WXGA 1280 x 720px
- Apple CarPlay (Wired & Wireless)
- Android Auto (Wired)
- Bluetooth Hands-free & music Streaming
- Wireless Hi-Res Audio (Require LDAC compatible device)
- Hi-Res Audio Playback (96KHz/24Bit)
- HDMI In/Out
- USB input (x2)
- Camera input (x2)
- 13-Band Parametric EQ per channel
- 6-Channel Time Correction
- Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV
- Video Playback:AVC, FLV, MP4, MKV, MOV



9"  
Hi-Res  
AUDIO

## iLX-F509E

32,500.-

- 9 Inch WXGA 1280 x 720px
- Apple CarPlay (Wired & Wireless)
- Android Auto (Wired)
- Bluetooth Hands-free & music Streaming
- Wireless Hi-Res Audio (Require LDAC compatible device)
- Hi-Res Audio Playback (96KHz/24Bit)
- HDMI In/Out
- USB input (x2)
- Camera input (x2)
- 13-Band Parametric EQ per channel
- 6-Channel Time Correction
- Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV
- Video Playback:AVC, FLV, MP4, MKV, MOV



7"  
Hi-Res  
AUDIO

## iLX-507E

25,500.-

- 7 Inch WXGA 1280 x 720px
- Apple CarPlay (Wired & Wireless)
- Android Auto (Wired)
- Bluetooth Hands-free & music Streaming
- Wireless Hi-Res Audio (Require LDAC compatible device)
- Hi-Res Audio Playback (96KHz/24Bit)
- HDMI In/Out
- USB input (x2)
- Camera input (x2)
- 13-Band Parametric EQ per channel
- 6-Channel Time Correction
- Audio Playback: AAC,APE, FLAC, MP3, WAV, WMV
- Video Playback:AVC, FLV, MP4, MKV, MOV



7"

## iLX-W770E NEW

13,900.-

- 6.75 Inch WVGA 800 x 480px
- Apple CarPlay (Wired & Wireless)
- Android Auto (Wired & Wireless)
- Bluetooth Hands-free & Music Streaming
- AUX input (x1)
- USB input (x1)
- Camera input (x1)
- 13-Band EQ
- 6-Channel Time Correction
- Audio Playback: AAC, FLAC, MP3, WAV, WMA
- Video Playback: AVI, MP4, MPG, MOV, WMV
- Learning type Steering Wheel Control



7"

## iLX-W670E

11,900.-

- 6.75 Inch WVGA 800 x 480px
- Apple CarPlay (Wired)
- Android Auto (Wired)
- Bluetooth Hands-free & Music Streaming
- AUX input (x1)
- USB input (x1)
- Camera input (x1)
- 13-Band EQ
- 6-Channel Time Correction
- Audio Playback: AAC, FLAC, MP3, WAV, WMA
- Video Playback: AVI, MP4, MPG, MOV, WMV
- Learning type Steering Wheel Control



10"  
9"

## iNE-AW409S

9,900.-

- 9/10 Inch 1280 x 720px
- ALPINE OS (RAM2 ROM 2G 4-Core)
- Mobile Link / WiFi
- Bluetooth 5.0
- AV In/Out
- USB input
- Camera input (CVBS / AHD)
- Supports a variety of applications
- Learning type Steering Wheel Control
- Audio Playback: MPEG / WMA /WAV / OGG /  
• FLAC / AAC /AMR / MID
- Video Playback: MPEG1/2 / MPEG-4 / H.264 / AVC /  
• MVC / H.265 / HEVC / VP8 / H.263 / VC-1 / MKV

## New Display



10"

## iNE-AX809 NEW

- 9/10 Inch 1280 x 720px
- ALPINE OS (RAM8 ROM 256G)
- Mobile Link / WiFi
- Bluetooth 5.0
- AV In/Out
- USB input
- Camera input (CVBS / AHD)
- Supports a variety of applications
- Learning type Steering Wheel Control
- Audio Playback: MPEG / WMA /WAV / OGG / FLAC / AAC /AMR / MID
- Video Playback: MPEG1/2 / MPEG-4 / H.264 / AVC / MVC / H.265 / HEVC /  
VP8 / H.263 / VC-1 / MKV



9"  
Hi-Res  
AUDIO

## Alpine Digital Multimedia Receiver

### Variety of Applications and Alpine's sound performance

The Alpine iNE-AW409S 9 and 10 inch touchscreen display offers an intuitive interface, supporting a variety of applications for more fun and entertainment. Make your journey brighter and more enjoyable. Enhance your sound experience with Alpine's superior sound quality.



Application Center



Sound Tuning



Professional Music Player



High Resolution 1280 x 720p

# Digital Mirror

Digital mirror with drive recorder

## DIGITAL MIRROR

In car rear camera model



### Specific model for your car

#### Replacement Type



12"



12-inch Replacement type E-mirror

**DVR-DM1200A-IC** NEW

\*Installation kit is required for specific car model

27,900.-

#### Bandage Type



10"



10-inch Bandage type E-mirror

**DVR-DM1000B-IC** NEW

18,000.-

#### Installation Kit for Specific car model



KTX-M01-AV-40 for 40Alphard/Vellfire

KTX-M01-AV-30 for 30Alphard/Vellfire

KTX-M01-AV-20 for 20Alphard/Vellfire



For Toyota Noah/Voxy  
Combined rear camera cover

**KTX-M01-NV-90**



For Toyota Noah/Voxy  
Combined rear camera cover

**KTX-M01-NVE-80**



For Suzuki Jimny

**KTX-M01-JI-64**



For Toyota Land Cruiser  
Combined rear camera cover

**KTX-M01-LC-300**



For Toyota Land Cruiser Prado  
Combined rear camera cover

**KTX-M01-LP-150**



For Toyota Hiace  
Combined rear camera cover

**KTX-M01-HI-200-6C**



For Toyota Hiace

**KTX-M01-HI-200-6**



For Toyota Estima

**KTX-M01-ES-50-E**



For Mazda CX-5

**KTX-M01-CX5-KF**



For Mazda CX-8

**KTX-M01-CX8-KG**

**LCD** ※ Full HD LCD is installed in DVR-DM1200A-IC/OC.



**Camera** ※ Exterior rear camera models do not have a rear tint film setting.




**Drive recorder other functions**



※ Even if the power supply to the product is cut off for some reason, the video will be saved normally. ※ Depending on the condition of the product itself, it may not be saved properly.

※ When the power is turned off, it can be used as a normal mirror.

## 01 | A sophisticated design where function and beauty coexist



Matches your car Curved shape and exquisite texture

Even on a 12-inch large screen the slim design which does not look or feel overtly heavy.

## 02 | Genuine mirror replacement that is both securely fixed and neatly installed



Dedicated arm allows for tough installation and beautiful installation with inconspicuous stealth wiring.

Front camera cable cover



Rear camera cover



Wiring around the camera is also neat with dedicated parts

## 03 | Reliable drive recorder



### Constant recording

Continuously records video from ignition key ON to OFF on microSD card.



### Impact Recording

When an impact is detected during continuous recording, the recorded video before and after the impact is extracted and saved as a separate file.



### Manual Recording

Press the record button to save the recorded data in a separate file. \*Please park in a safe place and do not operate while driving.



### Parking Recording

Parking mode begins 30 seconds after the engine is turned off. When an impact is detected during parking mode, it will be saved as a separate file using the recording method set by the user. Recordings including before and after impact detection can be saved as a video or saved as time-lapse images.

## 04 | Full lamination display that is bright and easy to see both during the day or at night



High-definition full HD LCD ratio conversion x 1080 Adopts a full lamination display. Transmittance and reflectance of the glass surface have increased, improving color reproducibility.

Touch operation with driver in mind Button layout that is easy to operate for right-hand drive drivers. You can also adjust the rear camera angle by tracing the screen with your finger.

Normal Mirror Mode Switching Easily switch to the mirror rearview by simply pressing the power button. The reflectance of the mirror surface has been improved, making it easier to use as a room mirror even when the power is off.



## 05 | Since the camera is independent, it is possible to install the front camera without using ADAS (Advanced Driving Assistance System) etc.



Changing the mirror angle will not affect the recorded video of the front camera.

## 06 | This is an external rear camera model that can be used in cars that could not be installed before.



The external rear view camera is suited for and can also be installed to the following vehicles.

- Cars with steeply sloped rear windows
- Cars with special rear gates
- Pickup vehicles
- Cars with dark tint film
- Cars with fitted rear glass

\*Image is DVR-DM1200A-OC/external rear camera  
\*Due to the mounting position of the external rear camera, it is easily affected by the headlights of the following vehicle.

## 07 | High-definition camera that shows clearly day and night



### High Definition Camera

2 million pixel high-definition camera. Alpine's unique digital processing achieves even higher image quality.



### STARVIS™ (Equipped with Starvis)

With the STARVIS high quality camera viewing is clearly displayed even when driving at night.

\*STARVIS is a trademark of Sony Corporation.



### HDR + Anti-glare Functionality

Over exposure on camera images occurs due to the lights of cars following you at night or strong sunlight during the day. The brightness of the image is corrected in real time using "High Dynamic Range (HDR)" and "Anti-glare function". Reduces blacks and highlights to make the entire screen easier to see.

### Wide viewing angle & bright lens

Adopts a wide viewing angle camera that captures a wider area.



\*The image is DVR-DM1200A-IC/in-car rear camera

# Add In Head Unit & Overhead Monitor



FLAC DSD AAC MP3 M4A  
APE WAV WMA

**DSD**  
Direct Stream Digital

Apple iPod Connect Bluetooth 24bit Hi-Res Audio flac 3-WAY X-OVER 9-BAND PARAMETRIC EQ Optical 6chTCR Line Connect

## Leverage The Music Listening With DSD File

Perfect Sound Tuning With Time Correction, X-Over, 9-Band Parametric EQ.



## Ergonomic Designed For Control Panel

For his new design, Bring you to the comfortable control and easy to install for a variety of car due to the ADD-IN concept.



Ion Plasmacluster  
AR  
WXGA  
1280 x 720p  
HDMI

## Impressive large screen and high image quality

Alpine's largest-ever 12.8 inch screen, you'll experience an overwhelming sense of immersion. Enjoy beautiful visuals as if you're in a movie theater.

## Quickly improve the air quality

inside your vehicle with Plasmacluster technology.

## Add In Head Unit

## Overhead Monitor



### HDS-990

- Hi-Res Audio Playback (192kHz / 24Bit)
- Inputs: 2-Ch AUX-In, 4-Ch Hi-Level
- USB Audio , Bluetooth (LDAC)
- Outputs: 4-Ch Hi-Level, 6-Ch RCA , Optical, Coaxial
- 4V Pre-Outs: 3
- Built-in Amplifier: 25W x 4
- USB Inputs: 3
- Audio Playback: AAC, AIFF, ALAC, APE, DSD, FLAC, LDAC, MP3, M4A, WMA, WAV

44,500.-



### UTX-M08S

- Hi-Res Audio Playback (96kHz/24 Bit)
- Bluetooth Audio Streaming
- 10-Band Parametric or Graphic EQ
- 4V Pre-Out 3
- 2-Way/3-Way Crossover
- USB input(x3)
- Audio Playback: MP3/WMA/ AAC/FLAC/WAV/APE/DSD
- Inputs: 4 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ USB
- Outputs: 4 Ch Hi-Level/6 CH RCA / Optical /SPDIF

22,800.-



### RXH-12X-R-B

- 12.8 Inch WXGA 1280 x 720px
- LED / Plasma Cluster Technology
- Screen angle On-Off 173.5°
- HDMI / RCA Output
- Reflective Light Protect
- Preset display 7 colors
- Dimension 342.3x283.2x159.3 mm.

44,000.-

# OPTIM™ 8

The all-in-one solution to unleash your sound system!



## Professional-Grade Audio Made Simple

### PXE-C80-88

- Inputs: 8 Ch Hi-Level/ 6-Ch RCA/ Bluetooth/ Coaxial/ USB (DAC)
- Outputs: 8 Ch Hi-Level/8 Ch RCA
- Power: 50W RMS x 6 + 150W RMS x 2
- Sampling Rate: 192KHz / 32Bit
- 31-Band Parametric or Graphic EQ
- HPF / LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing

32,000.-



Optim8 Controller  
\*RUX-CSP1 (Included)

Automatic sound tuning  
with iPhone app control



### All-in-One Solution

Enhance your sound system with the Alpine OPTIM8. The innovative Optim8 Sound Processor & Amplifier Featuring a built-in 8-channel amplifier with Hi-Res Audio playback up to 96kHz/24Bit. Analyzes your vehicle's interior and intelligently adjusts to optimize the audio output and provide the best possible listening experience.

The ultimate tool to power your sound system and effortlessly measure, correct, and fine-tune your audio in minutes.



### Automatic Sound Tuning

Tune your entire sound system in under 5 minutes with the innovative auto-tuning capabilities of the Alpine OPTIM8. Using the PC App and a mic kit (sold separately) or the OPTIM8 IOS App and built-in microphone on an iPhone 10 or newer, measure, correct, and tune your system to your desired listening preference through fast and easy guided tuning instructions.



### Guided Self-Tuning

Removes all the complexities of tuning a sound system

# The Evolution of Sound

**NEW**  
DSP Lineup



Bring on the future  
the new sound of EV



49,000.-

**PXE-X121-12EV** **NEW**

- Inputs: 12 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ Optical /Coaxial
- Outputs: 12 Ch Hi-Level/ 2 Ch RCA
- Power: 25W RMS x 4 + 50W RMS x 6 + 100W RMS x 2
- Sampling Rate: 96KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing

**12-Channel EV-Series Hi-Res Audio Digital Sound Processor with Amplifier**

The include 12-Channel Digital Sound Processor comes pre-tuned for the unique interior environment, while the built-in 12-Channel amplifier powers the full system with incredible efficiency. This ultra-efficient amplifier is optimized for EVs and users less than one mile of range per hour when played at full.

## HALO SOUND

Alpine Sound Technology

**Realistic 3D surround sound effect**



32,000.-

**PXE-X120-8** **NEW**

- Inputs: 12 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ Optical /Coaxial
- Outputs: 8 Ch Hi-Level/ 12 Ch RCA
- Power: 25W RMS x 4 + 50W RMS x 4
- Sampling Rate: 96KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



27,900.-

**PXE-R100-8** **NEW**

- Inputs: 6 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ Optical / Coaxial
- Outputs: 8 Ch Hi-Level/ 10 Ch RCA
- Power: 35W RMS x 8
- Sampling Rate: 96KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



19,800.-

**PXE-R80-8** **NEW**

- Inputs: 6 Ch Hi-Level/ 2-Ch RCA/ Bluetooth
- Outputs: 8 Ch Hi-Level/ 8 Ch RCA
- Power: 35W RMS x 8
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing

# Digital Sound Processor



35,000.-

## PXE-X120-10DP

- Inputs: 12 Ch Hi-Level/ 2-Ch RCA/ Bluetooth/ Optical /Coaxial
- Outputs: 10 Ch Hi-Level/2 Ch RCA
- Power: 25W RMS x 4 + 50W RMS x 4 + 100W RMS x 2
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



31,000.-

## PXE-X800

- Inputs: 8 Ch Hi-Level/ 4-Ch RCA/ Bluetooth/ Optical /Coaxial
- Outputs: 8 Ch Hi-Level/ 12 Ch RCA
- Power: 25W RMS x 4 + 50W RMS x 4
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



25,600.-

## PXE-0850X

- Inputs: 6 Ch Hi-Level/ 6-Ch RCA/ Bluetooth/ Optical /Coaxial
- Outputs: 8 Ch Hi-Level/12 Ch RCA
- Power: 25W RMS x 8
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



14,900.-

## PXE-R500

- Inputs: 4 Ch Hi-Level/ 2-Ch RCA/ Bluetooth
- Outputs: 4 Ch Hi-Level/ 6 Ch RCA
- Power: 25W RMS x 4
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



9,900.-

## PXE-M60-4

- Inputs: 4 Ch Hi-Level/ Bluetooth
- Outputs: 4 Ch Hi-Level/ 2 Ch RCA
- Power: 25W RMS x 4
- Sampling Rate: 48KHz /24Bit
- 31-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing



8,000.-

## PXE-640E-EL

- Inputs: 4 Ch Hi-Level/ Bluetooth
- Outputs: 4 Ch Hi-Level/ 2 Ch RCA
- Power: 25W RMS x 4
- Sampling Rate: 48KHz /24Bit
- 15-Band Parametric or Graphic EQ
- HPF /LPF / Bandpass Crossover per channel
- PC / Smartphone Tuning Application
- Matrix input summing

## Alpine Music Application



## RUX-C810

Sound Processor Controller  
(Sold seralately)

2,900.-



For iOS / Android

PC Software



Tune DSP sound at your fingertips

**NEW**

## Experience realistic sound like never before

With exceptional Hi-Res decoding capabilities, every note of music and every vocal becomes realistic, clear, and vibrant, creating an unmatched listening experience.

# UTS-A100

## HI-RES MUSIC PLAYER



### SPECIFICATIONS

	<b>Hi-Res Audio</b>	Frequency response 20Hz-40kHz
	<b>Bluetooth</b>	LDAC/ APTX-HD / APTX / AAC / SBC
	<b>Support USB for charge</b>	Type-C (USB 5V)
<b>IN PUT</b>	<b>Support USB-DAC</b>	192kHz/32bit
	<b>Support LDAC Bluetooth</b>	96kHz/24bit
<b>OUT PUT</b>	<b>Support Coaxial/Optical</b>	192kHz/24bit
	<b>Support 3.5mm headphones</b>	Power 80mW
	<b>Connect to Alpine DSP</b>	Via Bluetooth Network Cable
	<b>Weight</b>	153g
	<b>Size</b>	106mm x 72mm x 24mm



**13,900.-**

Hi-Res Music Player connect from mobile to DSP Amp and headphone, enhancing sound quality to true Hi-Res levels!



### OUTPUT

Support Bluetooth Cable for connecting Alpine DSP



Support signal Optical / Coaxial 192kHz/32 bit

Volume up-down button

### IN - OUTPUT

3.5mm Mini Jack for headphone 40kHz



Control up-down button

USB Power Supply for charging Type-C


USB Audio Playback for mobile and computer 192kHz/32 bit

## PLUG & PLAY

Beautiful sound, No installation needed!



Work with Car Audio



Work with Home Audio



Work with Headphone

# Exclusive Sound System For TESLA Series

PLUG & PLAY



## Designed to Fit Tesla

Custom-designed for a stealth installation, these complete sound system solutions, designed to fit Tesla, easily replace the factory speakers in your Model3 or ModelY with little to no cutting or modification required.



## Alpine Uniqueness Technology

Experience the Alpine Uniqueness with cutting-edge technology. Premium sound system upgrades are pre-tuned and optimized for your Tesla's interior, elevating your audio performance while preserving the integrity of your car's design.

## Full system package



## TESLA Series



### EV-65CF-T

12,500.-

- Woofer size: 6.5 inch
- Tweeter size: 1 inch
- Frequency Response: 65Hz-20KHz
- Rate Power: 50W RMS
- Peak Power: 200W



### EV-40M-T

12,500.-

- Midrange size: 4 inch
- Frequency Response: 100Hz-18KHz
- Rate Power: 40W RMS
- Peak Power: 160W



### EV-40MR-T

9,000.-

- Midrange size: 4 inch
- Tweeter size: 1 inch
- Frequency Response: 100Hz-18KHz
- Rate Power: 40W RMS
- Peak Power: 160W



### For Model Y

#### EV-100SWY-T

- Woofer size: 10 inch
- Frequency Response: 25Hz-300Hz
- Rate Power: 100W RMS
- Peak Power: 500W

16,000.-



### For Model 3

#### EV-100SW3-T

- Woofer size: 10 inch
- Frequency Response: 25Hz-300Hz
- Rate Power: 100W RMS
- Peak Power: 500W

16,000.-

# Exclusive Sound System For BMW Series

PLUG & PLAY



## Designed to Fit BMW

Elevate your BMW audio experience with our Special Sound Tuning. A plug-and-play design made exclusively for BMW, ensuring seamless installation and premium sound quality. Get ready to hear your drive like never before!

## Full system package

DP-40C-B



## Alpine Uniqueness Technology

Experience the Alpine Uniqueness with cutting-edge technology! Featuring Premium Hybrid Fiber material for unmatched sound clarity and durability. Elevate your audio experience to a whole new level.

## BMW Series



17,800.-

### DP-45C-B

- Woofer size: 4.5 inch
- Tweeter size: 1 inch
- Frequency Response: 90Hz-20KHz
- Rate Power: 50W RMS
- Peak Power: 100W



15,000.-

### DP-45-B

- Woofer size: 4.5 inch
- Frequency Response: 90Hz-20KHz
- Rate Power: 50W RMS
- Peak Power: 100W



17,800.-

### DP-40C-B

- Woofer size: 4 inch
- Tweeter size: 1 inch
- Frequency Response: 90Hz-20KHz
- Rate Power: 50W RMS
- Peak Power: 100W



23,800.-

### DP-80WF-B

- Woofer size: 8 inch
- Frequency Response: 35Hz-500Hz
- Rate Power: 100W RMS
- Peak Power: 200W



## The Next-Generation DP2-Series



### Realistic Sound Experience

The Next-Generation DP2-Series speakers, Newly redesigned and Hi-Res Audio Certified. Engineered to reproduce the dynamics of digital sound sources and recordings, the DP2-Series have an extraordinary detailed high and mid-range response coupled with truly powerful and controlled bass to express every nuance and sound richness-ensuring your music can be enjoyed to the fullest. Alpine's DP2-Series are state-of-art loudspeakers delivering an acoustic performance to match their stunning high-performance inspired aesthetic design.

### High-Performance and Powerful Bass

Deliver smooth high frequency, rich midrange and deep bass for a realistic sound experience in your car.

### Aesthetic design

The design features a high-quality carbon fiber diaphragm to fully unleash the power of the bass. Aluminum alloy is used to effectively reduce vibrations during playback, ensuring precise sound performance complemented by a die-cast aluminum frame and a polished surface.



## DP-SERIES



### DP2-653 NEW

18,000.-

- Woofer size: 6.5 inch
- Midrange size: 3.7 inch
- Tweeter size: 2.4 inch
- Frequency Response: 60Hz-24KHz
- Rate Power: 50W RMS
- Peak Power : 240W



### DP2-65C NEW

15,000.-

- Woofer size: 6.5 inch
- Tweeter size: 2.4 inch
- Frequency Response: 60Hz-24KHz
- Rate Power: 50W RMS
- Peak Power : 240W



### DP2-35M NEW

7,000.-

- Midrange size: 3.7 inch
- Frequency Response: 90Hz-12KHz
- Rate Power: 50W RMS
- Peak Power : 240W



### DP2-653NW NEW

5,000.-

- Network for DP2-653
- Tweeter: Crossover 6KHz-40KHz / Cross slope 6dB/Oct
- Midrange: Crossover 1.4KHz-6KHz / Cross slope 6dB/Oct
- Woofer: Crossover 20Hz-1.4KHz / Cross slope 12dB/Oct

## Premium, Unrivaled sound

# R-SERIES

*Born to be played loud*

**R** SERIES



**R2-S653**

- Woofer size: 6.5 inch
- Midrange size: 3 inch
- Tweeter size: 1 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

18,000.-



**R2-S652**

- Woofer size: 6.5 inch
- Tweeter size: 1 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

15,000.-



**R2-S65C**

- Woofer size: 6.5 inch
- Tweeter size: 1 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

12,500.-



**R2-S69C**

- Woofer size: 6x9 inch
- Tweeter size: 1 inch
- Frequency Response: 60Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

12,000.-



**R2-S65**

- Woofer size: 6.5 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

8,500.-



**R2-S69**

- Woofer size: 6x9 inch
- Frequency Response: 60Hz-40KHz
- Rate Power: 100W RMS
- Peak Power : 300W

9,000.-

# S-SERIES

**S** SERIES



**S2-S65C**

- Woofer size: 6.5 inch
- Tweeter size: 1 inch
- Frequency Response: 70Hz-40KHz
- Rate Power: 80W RMS
- Peak Power: 240W

8,590.-



**S2-S65**

- Woofer size: 6.5 inch
- Frequency Response: 70Hz-40KHz
- Rate Power: 80W RMS
- Peak Power: 240W

6,590.-



**S2-S50**

- Woofer size: 5 inch
- Frequency Response: 80Hz-40KHz
- Rate Power: 55W RMS
- Peak Power: 170W

5,590.-



**S2-S40C**

- Woofer size: 4 inch
- Tweeter size: 1 inch
- Frequency Response: 97Hz-40KHz
- Rate Power: 45W RMS
- Peak Power: 140W

6,500.-



**S2-S69C**

- Woofer size: 6x9 inch
- Tweeter size: 1 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 85W RMS
- Peak Power: 260W

8,500.-



**S2-S40**

- Woofer size: 4 inch
- Frequency Response: 97Hz-40KHz
- Rate Power: 45W RMS
- Peak Power: 140W

4,500.-



**S2-S69**

- Woofer size: 6x9 inch
- Frequency Response: 65Hz-40KHz
- Rate Power: 85W RMS
- Peak Power: 260W

8,000.-

## DM-SERIES



### DM-65C

- Woofer size: 6.5 inch
- Frequency Response: 65Hz-20KHz
- Rate Power: 50W RMS
- Peak Power : 200W

4,000.-



### DM-65

- Woofer size: 6.5 inch
- Frequency Response: 65Hz-20KHz
- Rate Power: 50W RMS
- Peak Power : 200W

3,500.-

## EL-SERIES



### EL-E65C

- Woofer size: 6.5 inch
- Frequency Response: 65Hz-20KHz
- Rate Power: 45W RMS
- Peak Power: 180W

2,500.-



### EL-E65

- Woofer size: 6.5 inch
- Frequency Response: 65Hz-20KHz
- Rate Power: 45W RMS
- Peak Power: 180W

2,000.-

## SPJ-SERIES



### SPJ-161CS

- Woofer size: 6 inch
- Tweeter size: 1 inch
- Frequency Response: 30Hz-30KHz
- Rate Power: 50W RMS
- Peak Power : 250W

2,560.-



### SPJ-161C2

- Woofer size: 6 inch
- Frequency Response: 30Hz-30KHz
- Rate Power: 50W RMS
- Peak Power : 250W

1,920.-



### SPJ-691C3

- Woofer size: 6x9 inch
- Frequency Response: 30Hz-30KHz
- Rate Power: 60W RMS
- Peak Power : 400W

1,990.-



***Elevate your driving experience with Alpine***  
***where affordability meets unbeatable performance!***



**X**  
PREMIUM SOUND

NEW

## LIFT UP 3 WAY SPEAKER Exclusive For Alphard / Vellfire 40

Hi-Res  
AUDIO

LIFT UP  
3WAY SPEAKER



### Real Dynamic Alpine X Technology

Sophisticated design that express the artist's emotion and feeling to the music.

#### X3-710S-LUP-AV-40 NEW

- Tweeter size: 1.6 cm
- Graphite tweeter size: 2.5 cm
- Woofer size: 7 x 10 inch
- Rate power: 45W RMS
- Peak power: 180W
- Installation kit for Alphard / Vellfire 40

47,000.-

### 3-way speaker system For Alphard/Vellfire 40 series

Featuring an innovative tweeter lift-up mechanism, that creates a new dimension of sound within the cabin, offering an unprecedented audio experience. Elevate your ride with next-level sound like never before.



### Luxurious design

Not just about sound, but also an integral part of luxurious interior design. With its intricate and dynamic design, perfectly blending with the refined cabin of Alphard/Vellfire, and stylish ambient blue LED lighting, it delivers a premium and unique experience.



### Exciting sound for Alphard/Vellfire 40 series

To fully realize the acoustic potential of the lift-up 3-way speakers within the cabin, Sound Meister has performed precise tuning. The clear and powerful sound of "X" delivers an exhilarating experience for the driver.

*Born to be played loud*

**R** SERIES

Hi-Res  
AUDIO



*The music lovers*

**S** SERIES

Hi-Res  
AUDIO



## R-Series

## Next-Level power Elevate your audio



Delivering a powerful 1500W performance in a sleek, compact design. This next-generation R-Series amp offers exceptional sound quality and efficiency, making it the perfect addition to any car audio system.

### R2-A150M

- Mono Power
- Class D
- Frequency Response: 10Hz-400Hz
- Rate Power: 700W RMS x1 @ 4Ω  
1500W RMS x1 @ 1Ω  
1200W RMS x1 @ 2Ω

22,000.-



### R2-A75M

- Mono Power
- Class D
- Frequency Response: 10Hz-400Hz
- Rate Power: 500W RMS x1 @ 4Ω  
750W RMS x1 @ 2Ω

18,000.-



### R2-A60F

- 4 Channel
- Class D
- Frequency Response: 10Hz-45Hz
- Rate Power: 100W RMS x4 @ 4Ω  
150W RMS x2 @ 4Ω

18,000.-

## S-Series



### S2-A120M

- Mono Power
- Class D
- Frequency Response: 10Hz-400Hz
- Rate Power: 600W RMS x1 @ 4Ω  
1200W RMS x1 @ 2Ω

18,000.-



### S2-A60M

- Mono Power
- Class D
- Frequency Response: 10Hz-400Hz
- Rate Power: 330W RMS x1 @ 4Ω  
600W RMS x1 @ 2Ω

12,300.-



### S2-A55V

- 5 Channel
- Class D
- Frequency Response: 50Hz-30Hz
- Rate Power: 40W RMS x4 +  
200W RMS x1 @ 4Ω
- Bridged: 120W RMS x2

14,900.-



### S2-A36F

- 4 Channel
- Class D
- Frequency Response: 10Hz-30Hz
- Rate Power: 60W RMS x4 @ 4Ω
- Bridged: 180W RMS x2

12,300.-

## BBX-Series



### BBX-F1200

- 4/3/2 Channel
- Class AB
- Frequency Response: 5Hz-50Hz
- Rate Power: 50W RMS x4 @ 4Ω
- Bridged: 130W RMS x2

6,400.-



### BBX-T600

- 2/1 Channel
- Class AB
- Frequency Response: 5Hz-50Hz
- Rate Power: 50W RMS x2 @ 4Ω
- Bridged: 130W RMS x1

6,400.-

# Subwoofer

## Powered Subwoofer

*Unleash the hidden power*



**PWE-S800**

10,560.-

- Size: 8 inch
- Frequency Response: 10Hz-200Hz
- Rate Power: 120W RMS
- Peak Power: 240W



**PWE-M770**

8,500.-

- Size: 7x7 inch
- Frequency Response: 10Hz-150Hz
- Rate Power: 150W RMS
- Peak Power: 300W



**PWE-7700E-EL**

7,000.-

- Size: 7x7 inch
- Frequency Response: 10Hz-150Hz
- Rate Power: 150W RMS
- Peak Power: 300W

## R-Series



**R2-W10D4**

12,000.-

- Size: 12 inch
- Frequency Response: 24Hz-200Hz
- Rate Power: 750W RMS
- Peak Power: 2250W



**R2-W10D2**

12,000.-

- Size: 10 inch
- Frequency Response: 26Hz-200Hz
- Rate Power: 750W RMS
- Peak Power: 2250W

## S-Series



**S2-W10D4**

7,500.-

- Size: 10 inch
- Frequency Response: 25Hz-215Hz
- Rate Power: 600W RMS
- Peak Power: 1800W



**SS-SB10**

16,500.-

- Size: 10 inch
- Frequency Response: 35Hz-200Hz
- Rate Power: 300W RMS
- Peak Power: 600W

## Bass Series



**AS-SWD-10D**

4,500.-

- Size: 10 inch
- Frequency Response: 35Hz-175Hz
- Rate Power: 200W RMS
- Peak Power: 400W



**SWJ-10S4**


3,500.-

- Size: 10 inch
- Frequency Response: 22Hz-200Hz
- Rate Power: 250W RMS
- Peak Power: 1200W

## The solution of noise reduction

### KTX-DM1 3MM


#### High Specific Gravity Damping



- Size: 820mm x 460mm x 3mm
- Packaging: 12 Sheets/Box
- Gross weight: 32.2 KG


1,500.- /Sheet

- Environmental Certification
- Sound Quality Enhancement
- Vibration Reduction
- Noise Reduction
- Reinforced Metal Sheets



### KTX-DN1 2MM


#### High Purity Butyl Rubber Damping



- Size: 820mm x 460mm x 2mm
- Packaging: 20 Sheets/Box
- Gross weight: 26 KG


1,200.- /Sheet

- Environmental Certification
- Sound Quality Enhancement
- Vibration Reduction
- Noise Reduction
- Reinforced Metal Sheets



### KTX-DLM1 2MM


#### Lightweight Vibration Reduction



- Size: 820mm x 460mm x 3mm
- Packaging: 20 Sheets/Box
- Gross weight: 17 KG

1,400.- /Sheet

- Environmental Certification
- Lightweight
- Sound Quality Enhancement
- Vibration Reduction
- Noise Reduction
- Reinforced Metal Sheets



### KTX-ILM1 6MM

#### Lightweight Fine Foam Sound Insulation



- Size: 500mm x 1000mm x 6mm
- Packaging: 40 Sheets/Box

800.- /Sheet

- Environmental Certification
- Lightweight
- Sound Insulation
- Sound Absorption
- Heat Insulation



### KTX-ALM1 10MM

#### Lightweight Nano Sound Absorbing



- Size: 500mm x 900mm x 10mm
- Packaging: 30 Sheets/Box


1,000.- /Sheet

- Environmental Certification
- Lightweight
- Sound Absorption
- Flame Retardant
- Antibacterial / Moisture-Proof



### KTX-AH1 15MM

#### Lightweight Half Hole Sound Absorbing



- Size: 600mm x 500mm x 15mm
- Packaging: 40 Sheets/Box

1,000.- /Sheet

- Environmental Certification
- Noise Absorption
- Low Frequency Absorption
- Half-Hole Acoustics
- Monomer Double Density



# //////ALPINE

Emotion in Mobility

Alps Alpine Asia Co., Ltd (Head Office)  
The 9th Towers, Tower B, Unit TNB01-03, 24th Floor  
33/4 Rama9 Road, Huay Kwang, Huay Kwang, Bangkok 10310  
Tel. 02-090-9596



Alpine-Asia  
Website



Alpine Thailand  
Facebook



Line Official